

KYOCERA - TASKalfa 408ci (TA408ci) color multifunkcijski uređaj



Web cena - 205910.00

web šifra PRI-04767

Karakteristike - TASKalfa 408ci (TA408ci) color multifunkcijski uređaj

Brend	
Brend	KYOCERA
Fizičke karakteristike	
Dimenzije	612.8mm x 550mm x 508mm
Težina	49.3kg
Stanje	Nekorišćeno
Štampa	
Tip	Multifunkcijski laser
Format	A4, A5, A6, B5, B6
Rezolucija štampe	1.200 x 1.200 dpi, 9.600 x 600 dpi (uz Multi-bit tehnologiju)
Brzina štampe u boji	40ppm (A4)
Brzina monohromatske štampe	40ppm (A4)
Duplex štampa	Da
Sistem štampe	KYOCERA HyPAS™
Broj kopija	9999 kopija
Brzina duplex štampe	40ppm (A4)
Boja	U boji
Funkcionalnost	4-u-1: štampač skener kopir faks
Vreme štampe prve strane	5.4 sekundi (monohromatski), 6.4 sekundi (u boji)
Ostalo	
Procesor	QorIQ T1042 Quad Core 1.0 GHz
Memorija	4GB RAM
Kapacitet fioke	500 listova (maksimalni kapacitet: 3.100 listova)
Nivo buke	68.2dB(A)
Displej	7" LCD u boji
Emulacije	PCL6, XPS Direct Print, PDF Direct Print, KPDL3
Sistemi zaštite	IPSec, IPv6, IPv4, IPPS, TPM
Podržane tehnologije	IPsec, KYOCERA Mobile Print, WSD print, SNMPv3, SSL
Napomena	Uređaj dolazi bez Document Processor-a i bez startnog tonera
Podržana debljina papira	60g/m2 - 220g/m2, 129g/m2 - 163g/m2
Opciona oprema	PF-5140 (Paper feeder - 2000 strana), DF-5120 (Document finisher - 3000 strana), JS-5100 (Job separator - 100 strana), PH-5110 (Punch unit for DF-5110), MT-5100 (Mailbox sorter + AK-5100), DF-5100 (Document finisher - 300 strana), DF-5110 (Document finisher - 1000 strana), DT-5100 (Document tray), DP-5130 (Document processor - 270 strana), PF-5120 (Paper feeder - 500 strana), DP-5100 (Document processor - 100 strana), AK-5100 (Attachment Kit), PF-5130 (Paper feeder - 2 x 500 strana)
Ostale karakteristike	
Emulacije	PCL6
Skeniranje	
Rezolucija skeniranja	300 dpi, 200 dpi, 400 dpi, 600 dpi

Brend
Fizičke karakteristike
Štampa
Ostalo
Ostale karakteristike
Skeniranje
Faks
Potrošni materijal
Kopiranje
Žična povezivost
Reklamacioni period

Podržani profili	WIA, WSD, Network TWAIN, Scan to email, Scan to FTP, Scan to SMB, Scan to USB Host
Podržani formati skeniranja	TIFF, PDF, JPEG, XPS, Open XPS, searchable PDF, MS Office file
Brzina skeniranja monohromatski	DP-5130 do 170 ipm, DP-5100 do 60 ipm, DP-5120 do 120 ipm
Brzina skeniranja u boji	DP-5130 do 170 ipm, DP-5100 do 60 ipm, DP-5120 do 120 ipm
Format	A4, Legal, Banner(1900 mm)

Faks

Memorija	170MB
Funkcije	Duplex, Address Book, Network fax, Broadcast, Polling reception, Encrypted transmission and reception
Tip	Super G3

Potrošni materijal

Kapacitet inicijalnog tonera (crni)	24.000 strana
Kapacitet inicijalnog tonera (u boji)	18.000 strana
Kapacitet regularnog tonera (crni)	24.000 strana
Kapacitet regularnog tonera (u boji)	18.000 strana
Servisni set boje	300.000 strana
Toner/Mastilo	TK-5315C, TK-5315M, TK-5315K, TK-5315Y
Maintenance kit (servisni set)	MK-5225B, MK-5345A

Kopiranje

Dodatne funkcije	Scan-once-copy-many, Elektronsko sortiranje, 25% - 400% umanjeње - uveličavanje, Funkcija preskakanja kopiranja prazne strane, Kopiranje ID kartica, 2in1, 4in1, Auto cassette change
Format	A4, Legal

Žična povezivost

Povezivost	USB 2.0 (Hi-Speed), RJ-45
Ostale osobine	NFC tag, 3 x USB Host Interface

Brend	
Fizičke karakteristike	
Štampa	
Ostalo	
Ostale karakteristike	
Skeniranje	
Faks	
Potrošni materijal	
Kopiranje	
Žična povezivost	
Reklamacioni period	
Faks	
Potrošni materijal	
Kopiranje	
Žična povezivost	
Reklamacioni period	
Dodatni priključci / Slotovi	SD Card slot (optional), 2x eKUIO slot (optional)
Reklamacioni period	
Reklamacioni period	24 meseca