

NZXT - C1200 Gold ATX 3.X 1200W (PA-2G2BW-EU) modularno napajanje belo



Web cena - 28190.00

web šifra CAS-02599

**Karakteristike - C1200 Gold ATX 3.X 1200W (PA-2G2BW-EU)
modularno napajanje belo**

Brend	
Brend	NZXT
Fizičke karakteristike	
Dimenzije	160mm x 150mm x 86mm
Format	ATX
Nivo buke	≤ 44.5dB(A)
Osnovne karakteristike	
ATX standard	ATX 12V Ver. 3.1
Tip	Active PFC
Efikasnost	89%
Snaga	1.200 W
Sistemi zaštite	OVP (Over Voltage Protection), UVP (Under Voltage Protection), OCP (Over Current Protection), SCP (Short-Circuit Protection), OPP (Over Power (Load) Protection), OTP (Over Temperature Protection)
Faktor snage	>0.99
Vrsta kablova	Potpuno modularni
Klasifikacija efikasnosti	80 Plus Gold
Hlađenje	
Tip	Aktivno
Broj ventilatora	1
Dimenzije ventilatora	135mm x 135mm
Dodatne funkcije	Fluid Dynamic Bearing (FDB), Protok vazduha: 93.02 CFM, Brzina: 0-2300 ± 10% RPM
+12V naponske grane	
1	100 A
Maksimalna kombinovana snaga	1.200W
Ostale naponske grane	
+5V	22A
+3.3V	22A
Maksimalna kombinovana snaga	120W
Modularni priključci	
SATA	12
Molex 4pin	4
Ostali priključci	16-Pin (12+4) 12VHPWR PCIe
ATX 8pin (EPS 12V)	1(4+4)pin, 1(8)pin
PCI Express 8pin	3x (6+2) pin
ATX 24pin	24(20+4)pin
Reklamacioni period	
Reklamacioni period	36 meseci
Zemlja porekla	

Zemlja porekla

Kina