

GIGABYTE - B860M AORUS ELITE WIFI 6E rev. 1.0 matična ploča



Web cena - 24470.00

web šifra PLO-03718

**Karakteristike - B860M AORUS ELITE WIFI 6E rev. 1.0 matična
ploča**

Brend	
Brend	GIGABYTE
Mreža	
Bluetooth verzija	5.3
Žična mreža (LAN)	2.5GBase-T (Gigabit)
Model	Realtek
Bluetooth	Da
Wi-Fi standard	Wi-Fi 6E (802.11ax)
Wi-Fi	Da
Memorija	
Tip memorije	DDR5
Maksimalna ukupna memorija	256GB
Podržane memorije	7.200MT/s (O.C.), 7.000MT/s (O.C.), 6.800MT/s (O.C.), 6.600MT/s (O.C.), 5.600MT/s, 7.600MT/s (O.C.), 7.400MT/s (O.C.), 7.800MT/s (O.C.), 8.000MT/S (O.C.), 7.950MT/s (O.C), 7.900MT/s (O.C), 8.266MT/s (O.C), 8.200MT/s(O.C), 9.200MT/s (O.C.), 8.600MT/s (O.C.), 8.400MT/s (O.C.), 6.400MT/s, 8.800MT/s (O.C.)
Ostale osobine	Podrška za Unbuffered ECC memoriju, Podrška za Extreme Memory Profile (XMP), Dvokanalni (Dual-channel) režim rada memorije, Podrška za non-ECC UDIMM memory
Memorijski slotovi	4
Fizičke karakteristike	
Dimenzije	244mm x 244mm
Format	microATX
Ostale karakteristike	
Podržane tehnologije	UEFI Bios, Q-Flash Plus, Smart Backup
Priključci na zadnjem panelu	
RJ-45 (LAN)	1
Audio	2x 3.5mm, 1x S/PDIF optički
Ostali priključci	2x SMA antenna connectors (2T2R)
DisplayPort priključci	Da preko USB-C
HDMI priključci	1x HDMI 2.1
Ukupno USB priključaka	9
Ukupno USB-C priključaka	1
Broj HDMI priključaka	1
USB-A priključci	4x USB 5Gbps (3.2 Gen 1), 4x USB 2.0
USB-C priključci	1x USB 40Gbps (USB 4)
Unutrašnji priključci	
Audio	1x Front panel audio, 1x Front panel header

Brend
Mreža
Memorija
Fizičke karakteristike
Ostale karakteristike
Priključci na zadnjem panelu
Unutrašnji priključci
Audio
Osnovne karakteristike
Slotovi
Skladišni interfejs
Reklamacioni period
Zemlja porekla

Ostali priključci	1 x Clear CMOS jumper, 1 x Trusted Platform Module (TPM), 1 x system fan/water cooling pump headers, 1 x Q-Flash Plus button, 4 x SATA 6Gb/s, 2 x Thunderbolt add-in card connectors, 1 x RGB LED strip header, 1 x reset jumper, 1 x CPU fan header, 1 x reset button, 1x CPU fan/water cooling pump header, 3x addressable RGB Gen2 LED strip headers, 1 x Power button, 1x HDMI port, 3 x system fan headers, 3 x M.2 Socket 3 connectors
Naponski priključci	1x 24-pin ATX main power connector, 2x 8 pin ATX 12V Power Connector
USB-A	2 x podrška za 1 USB 2.0 port, 1 x podrška za 1 USB 5Gbps port
USB-C	1 x podrška za 1 USB 10Gbps port

Audio	
Broj kanala	8 (7.1)
Model	Realtek
Napomena	High Definition

Osnovne karakteristike	
Čipset	Intel B860
Procesorsko ležište (socket)	Intel 1851

Slotovi	
PCI Express x16 slot	1x PCI Express 5.0 (x16 mode), 1x PCI Express 4.0 (x16 mode)

Skladišni interfejs	
SATA priključci	SATA III 6Gbps
RAID	RAID 0, RAID 1, RAID 5, RAID 10
SATA priključci (ukupno)	4
Broj M.2 slotova	3

Brend
Mreža
Memorija
Fizičke karakteristike
Ostale karakteristike
Priključci na zadnjem panelu
Unutrašnji priključci
Audio
Osnovne karakteristike
Slotovi
Skladišni interfejs
Reklamacioni period
Zemlja porekla
Audio
Osnovne karakteristike
Slotovi
Skladišni interfejs
Reklamacioni period
Zemlja porekla

Podržani M.2 formati	1x 2280 / 2580 / 22110 / 25110 (podrška za PCIe 4.0 x4/x2 mod), 1x 2280 (podrška za PCIe 5.0 x4x2 mod), 1x 2280 / 2580 (podrška za PCIe 4.0 x4/x2 mod)
----------------------	--

Reklamacioni period

Reklamacioni period	36 meseci
---------------------	-----------

Zemlja porekla

Zemlja porekla	Kina
----------------	------