

TP-LINK - EAP650 Outdoor AP AX3000 Wifi 6



Web cena - 27990.00

web šifra LAN-04184

Karakteristike - EAP650 Outdoor AP AX3000 Wifi 6

Brend	
Brend	TP-LINK
Priključci / Slotovi	
RJ-45	2 (10/100/1000Mbps)
Ostali priključci / Slotovi	1 × Reset hole, Pasivni PoE, 1 x 10/100/1000Mbps Shielded Ethernet Port (Passive PoE in)
Fizičke karakteristike	
Dimenzije	280.4mm × 106.5mm × 56.8mm
Pakovanje	Naponski adapter, Set za montažu, Naponski kabl
Boja	Bela
Antene	
Tip	2x spoljne
Broj	4
Snaga emitovanja	<20 dBm (2.4 GHz), <30dBm (5GHz)
Jačina	5dBi na 5GHz, 4dBi na 2.4GHz
Bežična mreža	
Standardi	IEEE 802.11ax/ac/n/g/b/a
Bežični protokol	8Mbps do 2.402Mbps
Frekventni opseg	2.4GHz, 5GHz
Žična mreža	
Standardi žične mreže	Full duplex mode), IEEE 802.1q (VLAN tagging), IEEE 802.3, 1000Base-T (Gigabit), IEEE 802.3af (PoE), IEEE 802.3at (PoE+), IEEE 802.3ab (1000Base-T Gigabit Ethernet)
Žični protokol	10/100/1000Mbps (1xLAN ili 1xWAN)
Protokoli žične mreže	TCP/IP, HTTP/HTTPS, IPv4/IPv6, VLAN, SNMP, SSH, DHCP, ICMP, DNS
Ostalo	
Podržane tehnologije	Omada Mesh
Upravljanje	Omada App
Dodatne funkcije	PoE
Ostalo	PoE Support (802.3af/at), Reset taster, Za montažu na zid plafon ili metalni stub, IP67
Zaštita	
WPA	Enterprise, Personal
WPA2	Enterprise, Personal
Autentifikacije	802.1x, SSH
WEP	Da
Ostalo	Rogue AP Detection, SSID to VLAN Mapping, 802.1x, Wireless Mac Address Filtering, Wireless Isolation Between Clients, Captive Portal Authentication, WPA3, WPA3-Personal, WPA3-Enterprise, MAC address filtering

Firewall

Ostalo	Access Control, MAC Filtering, NAT
--------	------------------------------------

Osnovne karakteristike

Tip	Mrežni adapter, PoE adapter
-----	-----------------------------

MAC adrese

Ostalo	MAC address blocking
--------	----------------------

Reklamacioni period

Reklamacioni period	24 meseca
---------------------	-----------