

KYOCERA - ECOSYS MA4500ifx (USB) multifunkcijski štampač



Web cena - 110830.00

web šifra PRI-05855

**Karakteristike - ECOSYS MA4500ifx (USB) multifunkcijski
štampač**

Brend	
Brend	KYOCERA
Fizičke karakteristike	
Dimenzije	575mm x 476mm x 475mm
Težina	23kg
Boja	Belo-siva
Štampa	
Tip	Multifunkcijski laser
Format	A4, A5, A6, B5, B6, Folio, Letter, Legal, Definisano od strane korisnika
Rezolucija štampe	1.200 x 1.200 dpi
Brzina monohromatske štampe	45ppm (A4)
Duplex štampa	Da
Sistem štampe	KYOCERA HyPAS™
Broj kopija	1 original + 999 kopija
Brzina duplex štampe	22.5ppm (A4)
Boja	Monohromatski (crno-beli)
Funkcionalnost	4-u-1: štampač skener kopir faks
Vreme štampe prve strane	5.3 sekundi (monohromatski)
Ostalo	
Procesor	ARM Cortex-A53 Dual Core 1.4GHz
Memorija	1.5GB (maksimalno podržano: 3.5GB)
Kapacitet fioke	500 listova + 100 listova (multipurpose tray)
Nivo buke	54dB
Displej	7" color touchscreen
Emulacije	PCL6, PCL5c, XPS Direct Print, PDF Direct Print, Open XPS, KPDL3, URF, PCLm, TIFF, JPEG, PWG raster, Line printer, Epson LQ 850, IBM Proprinter, AES support, PCL-XL
Ostalo	Apple AirPrint, Mopria
Podržana debljina papira	60g/m2 - 220g/m2, 60g/m2 - 120g/m2
Opciona oprema	IB-50 (Gigabit-Ethernet board 10 BaseT/100 BaseTX/1000 BaseT), IB-51 (Wireless LAN Interface (802.11b/g/n)), USB IC Card Reader + Card Authentication Kit (B), UG-33, IB-38 (Wireless Network Interface), IB-37 (Wireless Network Interface USB 5GHz/2.4GHz), Scan extension Kit (A) AC, HD-17, HD-18, HD-19, MM-21, PF-3110 (Paper feeder - 500 strana), CB-360W-B, UG-50, CA-3100, CB-365W-B, IC Card Reader Holder 10, MM-20
Žična povezivost	
Wi-Fi standard	Wireless LAN IEEE 802.11b/g/n (opciono)
Povezivost	USB 2.0 (Hi-Speed), Ethernet (Gigabit)
Dodatni priključci / Slotovi	SD Card slot (optional), 1x eKUIO slot, 1x USB 2.0 (tip A) Host - za povezivanje USB fleš diskova

Skeniranje

Dubina boja	256bit greyscale
Rezolucija skeniranja	600 x 600 dpi
Zum	25% - 400%
Podržani profili	WIA, WSD, Network TWAIN, Scan to email, Scan to FTP, Scan to SMB, Scan to USB Host
Podržani formati skeniranja	TIFF, PDF/A, JPEG, XPS, Open XPS, High compression PDF, Encrypted PDF, PDF/A-1a/b, PDF/A-2a/b/u
Brzina skeniranja monohromatski	60 imp (jednostrano 300dpi ADF)
Brzina skeniranja u boji	40ipm (300dpi A4)
Format	A4
Napomena	Skeniranje u boji

Ostale karakteristike

Emulacije	PCL6
-----------	------

Kopiranje

Rezolucija kopiranja	600 x 600 dpi
Dodatne funkcije	25% - 400% umanjenje - uveličavanje, 1-999 kopija
Format	A4

Faks

Memorija	256 strana
Funkcije	Network fax, Broadcast, Encrypted transmission and reception, Polling transmission and reception, Duplex transmission and reception
Tip	Super G3

Potrošni materijal

Kapacitet inicijalnog tonera (crni)	6.000 strana
Kapacitet regularnog tonera (crni)	14.500 strana
Toner/Mastilo	TK-3300

Reklamacioni period

Reklamacioni period	24 meseca
---------------------	-----------

Zemlja porekla

Zemlja porekla	Vijetnam
----------------	----------