

TP-LINK - TL-SG3452XP Switch



Web cena - 121590.00

web šifra LAN-03369

Karakteristike - TL-SG3452XP Switch

Brend	
Brend	TP-LINK
Priključci pozadi	
RJ-45	48x (10/100/1000Mbps) 802.3af/at PoE+
Optički	4x SFP+
USB priključci	1 x Micro USB
Ostali priključci	1x RJ45 console port
Mreža	
Protok	10/100/1000Mbps
Standardi	IEEE 802.3x, IEEE 802.3af, IEEE 802.3at, IEEE 802.1ab, IEEE 802.1d, IEEE 802.1w, IEEE 802.1p, IEEE 802.3ad, IEEE 802.1s, IEEE 802.1x, IEEE 802.1q
Protokoli	LACP, IGMP Snooping
Forwarding	130.9Mpps
Switching	176Gbps
Fizičke karakteristike	
Dimenzije	440mm x 330mm x 44mm
Pakovanje	Naponski kabl, Rack-mounting Kit, 1X QIG, gumene nožice
Materijal	Metalno kućište
Boja	Crna
Osnovne karakteristike	
Vrsta	Managed
Tip	Switch
MAC adrese	
Tabela	16k
Ručni unos	Da
Filtriranje	Da
Ostalo	IP/MAC Binding, Maksimalno 64 pravila za filtere, MAC ACL, MAC Vlan
VLAN	
Kapacitet	4k
QinQ	Da
Standardi	IEEE 802.1q
Ostalo	Voice VLAN, VLAN tagging, VLAN Group, Protocol VLAN, MAC VLAN, GVRP, VLAN VPN, Private VLAN
IPv6	
Host	Da
Statičke rute	Da
ACL	Da
MLD	Da
Zaštita	

Autentifikacije	RADIUS, AAA, IP+MAC binding based on port, SSH, ACL, SSHv2, SSL, TLS, TACACS+, ARP detection, HTTPS, MAB, DoS Defend, Static/Dynamic Port Security, Broadcast/Multicast/Unicast Storm Control
Monitoring	Filtriranje paketa, Ograničavanje portova, IEEE 802.1x kontrola protoka
Ostalo	SNMP V1/V2/V3, Port Isolation

Dodatne funkcije

PoE	PoE+
Upravljanje	Web-bazirani interfejs (HTTP/HTTPS), Omada App, Zero-Touch Provisioning, CLI (konzola, SDM Template, Cloud Access, SNMP v2C, CPU Monitoring, MIBs, Intelligent Network Monitoring
Podržane tehnologije	IEEE802.3x Flow control
Dodatne funkcije	Statičko IP rutiranje, Port mirroring, Reboot Schedule, Link Aggregation, Batch Configuration, Batch Firmware Upgrading, Abnormal Event Warnings, Unified Configuration, Bandwidth Control, CPU Mirroring, Spanning Tree Protocol, DHCP Server, DHCP Relay, DHCP L2 Relay, Static ARP, Proxy ARP, Gratuitous ARP, Queue scheduling
Ostalo	Jumbo Frame do 9 KB, CE, FCC, RoHS sertifikovano, Fanless

Memorija

Bafer	12Mbit
-------	--------

Reklamacioni period

Reklamacioni period	24 meseca
---------------------	-----------