

GIGABYTE - Z790 A ELITE AX ICE rev. 1.x matična ploča



Web cena - 38380.00

web šifra PLO-03578

Karakteristike - Z790 A ELITE AX ICE rev. 1.x matična ploča

Brend	
Brend	GIGABYTE
Mreža	
Bluetooth verzija	5.3
Žična mreža (LAN)	10/100/1000/2500 Mbps (2.5GbE)
Model	Realtek
Bluetooth	Da
Wi-Fi	Da
Memorija	
Tip memorije	DDR5
Maksimalna ukupna memorija	192GB
Podržane memorije	6.000MT/s (O.C.), 5.800MT/s (O.C.), 7.200MT/s (O.C.), 7.000MT/s (O.C.), 6.800MT/s (O.C.), 6.600MT/s (O.C.), 6.400MT/s (O.C.), 6.200MT/s (O.C.), 4.800MT/s, 7.600MT/s (O.C.), 5.600MT/s (O.C.), 5.400MT/s (O.C.), 5.200MT/s (O.C.), 7.400MT/s (O.C.), 4.000MT/s
Ostale osobine	Podrška za Unbuffered ECC memoriju, Podrška za Extreme Memory Profile (XMP), Podrška za ECC UDIMM memory, Dual Channel
Memorijski slotovi	4x DDR5
Fizičke karakteristike	
Dimenzije	305mm x 244mm
Format	ATX
Priključci na zadnjem panelu	
USB 2.0 priključci	4
RJ-45 (LAN)	1
Audio	2x 3.5mm, 1x S/PDIF optički
Ostali priključci	2x SMA antenna connectors (2T2R)
DisplayPort priključci	1x DisplayPort
HDMI priključci	1x HDMI 2.0
Ukupno USB priključaka	10
USB 3.2 priključci	2 (Tip A) Gen2, 3 (Tip A) Gen1, 1 (Tip C) Gen2x2
Ukupno USB-C priključaka	1
Unutrašnji priključci	
USB 2.0	2
Audio	1x Front panel audio
Ostali priključci	3x System Fan header, 1 x front panel header, 1 x Clear CMOS jumper, 1 x water cooling CPU fan header, 1 x system fan/water cooling pump headers, 1 x Q-Flash Plus button, 6 x SATA 6Gb/s connectors, 1 x reset jumper, 2x RGB LED strip headers, 1 x Clear CMOS button, 1 x reset button, 1 x 4-pin CPU Fan conector, 2x addressable LED strip headers, 4x M.2 Socket 3, 2 x Thunderbolt add-in card connectors

Brend
Mreža
Memorija
Fizičke karakteristike
Priključci na zadnjem panelu
Unutrašnji priključci
Audio
Osnovne karakteristike
Slotovi
Skladišni interfejs
Reklamacioni period
Zemlja porekla

Napomena	Za iskorišćavanje određenih internih konektora potrebni su dodatni bracket-i ili priključci na kućištu
Naponski priključci	2x 8 pin 12V Power Connector, 1 x 24 pin ATX Power Connector
USB 3.2	1 (podrška za 1 USB 3.2 Gen 2 Tip C porta), 1 (podrška za USB 3.2 Gen 1 port)

Audio	
Broj kanala	8 (7.1)
Model	Realtek
Napomena	High Definition, Podrška za S/PDIF izlaz

Osnovne karakteristike	
Čipset	Intel Z790
Procesorsko ležište (socket)	Intel 1700

Slotovi	
PCI Express x16 slot	1x PCI Express 5.0 (x16 mode), 1x PCI Express 4.0 (x4 mode), 1x PCI Express 3.0 (x4 mode)

Skladišni interfejs	
SATA priključci	6 x SATA 6Gb/s
RAID	RAID 0, RAID 1, RAID 5, RAID 10
Ostali skladišni interfejs	4x M.2 slot
SATA priključci (ukupno)	6

Reklamacioni period	
Reklamacioni period	36 meseci
Zemlja porekla	
Zemlja porekla	Kina