

ASUS - PRIME B860-PLUS-CSM matična ploča



Web cena - 23980.00

web šifra PLO-03693

Karakteristike - PRIME B860-PLUS-CSM matična ploča

Brend	
Brend	ASUS
Mreža	
Žična mreža (LAN)	2.5GBase-T (Gigabit)
Model	Realtek
Wi-Fi	Da (opciono)
Memorija	
Tip memorije	DDR5
Maksimalna ukupna memorija	256GB
Podržane memorije	8.666+MT/s (O.C.)
Ostale osobine	Podrška za Unbuffered ECC memoriju, Podrška za Extreme Memory Profile (XMP), Dvokanalni (Dual-channel) režim rada memorije, Podrška za non-ECC UDIMM memory, ASUS Enhanced Memory Profile III (AEMP III), Podrška za CUDIMM
Memorijski slotovi	4
Fizičke karakteristike	
Dimenzije	305mm x 244mm
Format	ATX
Ostale karakteristike	
Podržane tehnologije	AURA Sync, DIGI+VRM, LANGuard, Overvoltage Protection, SafeSlot, Q-DIMM, Q-Slot, ProCool, VRM heatsink design, Q-LED (CPU [red], M.2 heatsink, Stainless-Steel Back I/O, Aura Sync RGB
Priključci na zadnjem panelu	
RJ-45 (LAN)	1
Audio	3x 3.5mm
DisplayPort priključci	1x DisplayPort 1.4
HDMI priključci	1x HDMI 2.1
Ukupno USB priključaka	6
Ukupno USB-C priključaka	1
Broj DisplayPort priključaka	1
Broj HDMI priključaka	1
USB-A priključci	2x USB 10Gbps (3.2 Gen 2), 2x USB 2.0, 1x USB 5Gbps (3.2 Gen 1)
USB-C priključci	1x USB 20Gbps (3.2 Gen 2x2)
Unutrašnji priključci	
Audio	1x Front panel header

Brend
Mreža
Memorija
Fizičke karakteristike
Ostale karakteristike
Priključci na zadnjem panelu
Unutrašnji priključci
Audio
Osnovne karakteristike
Slotovi
Skladišni interfejs
Reklamacioni period
Zemlja porekla

Ostali priključci	1 x S/PDIF Out header, 1 x SPI TPM header, 1 x 4-pin AIO Pump header, 1 x 4-pin CPU OPT Fan header, 1 x 10-1 pin System Panel header, 1 x 4-pin CPU Fan header, 1 x Clear CMOS header, 3 x Addressable Gen 2 headers, 4 x 4-pin Chassis Fan headers, 1 x COM Port header, 1 x AURA RGB header, 1 x Thunderbolt™ (USB4®) header, 1x Chassis Intrusion Header, 1 x M.2 with E key for Wi-Fi module
Naponski priključci	1 x 24 pin Main Power connector, 1 x 8-pin +12V CPU Power connectors
USB-A	1 x podrška za 2 USB 5Gbps porta, 2 x podrška za 4 USB 2.0 porta
USB-C	1 x podrška za 1 USB 5Gbps port

Audio	
Broj kanala	7.1
Model	Realtek
Napomena	High Definition, Audio Shielding, Premium audio capacitors, Dedicated audio PCB layers

Osnovne karakteristike	
Čipset	Intel B860
Procesorsko ležište (socket)	Intel 1851

Slotovi	
PCI Express x16 slot	1x PCI Express 5.0, 1x PCI Express 4.0 (x4 mode)

Skladišni interfejs	
SATA priključci	SATA III 6Gbps
RAID	RAID 0, RAID 1, RAID 5, RAID 10
SATA priključci (ukupno)	4
Broj M.2 slotova	3

Brend		
Mreža		
Memorija		
Fizičke karakteristike		
Ostale karakteristike		
Priključci na zadnjem panelu		
Unutrašnji priključci		
Audio		
Osnovne karakteristike		
Slotovi		
Skladišni interfejs		
Reklamacioni period		
Zemlja porekla		
Audio		
Osnovne karakteristike		
Slotovi		
Skladišni interfejs		
Reklamacioni period		
Zemlja porekla		
Podržani M.2 formati	1x 2242 / 2260 / 2280 (podrška za PCIe 4.0 x4 mod), 1x 2242 / 2260 / 2280 (podrška za PCIe 5.0 x4 mod), 1x 2242 / 2260 / 2280 / 22110 (podrška za PCIe 4.0 x4 mod)	
Reklamacioni period		
Reklamacioni period	36 meseci	
Zemlja porekla		
Zemlja porekla	Kina	