

GIGABYTE - Z790 AORUS MASTER rev. 1.x



Web cena - 70630.00

web šifra PLO-03354

Karakteristike - Z790 AORUS MASTER rev. 1.x

Brend	
Brend	GIGABYTE
Mreža	
Bluetooth verzija	5.3
Žična mreža (LAN)	10GBase-T (Gigabit)
Model	Marvell
Bluetooth	Da
Wi-Fi standard	Wi-Fi 6E (802.11ax)
Wi-Fi	Da
Memorija	
Tip memorije	DDR5
Maksimalna ukupna memorija	192GB
Podržane memorije	5.200Mhz (O.C.), 5.400Mhz (O.C.), 6.000MHz (O.C.), 5.800MHz (O.C.), 5.600MHz (O.C.), 6.200MHz (O.C.), 4.800Mhz, 4.000Mhz, 6.400MHz (O.C.), 6.600MHz (O.C.), 6.800MHz (O.C.), 7.000MHz (O.C.), 7.200MHz (O.C.), 7.400MHz (O.C.), 7.600MHz (O.C.), 7.800MHz (O.C.), 8.000MHz (O.C.), 7.900MHz (O.C.), 7.950MHz (O.C.)
Ostale osobine	Podrška za Extreme Memory Profile (XMP), Dvokanalni (Dual-channel) režim rada memorije
Memorijski slotovi	4
Fizičke karakteristike	
Dimenzije	305mm x 260mm
Format	E-ATX (Extended ATX)
Pakovanje	Full box retail
Stanje	Nekorišćeno
Priključci na zadnjem panelu	
RJ-45 (LAN)	1
Audio	2x 3.5mm, 1x S/PDIF optički
Ostali priključci	2x SMA antenna connectors (2T2R)
Ukupno USB priključaka	14
Ukupno USB-C priključaka	3
Broj DisplayPort priključaka	1
Broj HDMI priključaka	1
USB-A priključci	4x USB 5Gbps (3.2 Gen 1), 7x USB 10Gbps (3.2 Gen 2)
USB-C priključci	1x USB 5Gbps (3.2 Gen 1), 2x USB 20Gbps (3.2 Gen 2x2)
Unutrašnji priključci	

Ostali priključci	Reset taster, 4x System Fan header, 1 x front panel header, 1 x Clear CMOS jumper, 1 x Trusted Platform Module (TPM), 1 x water cooling CPU fan header, 2 x temperature sensor headers, 2 x addressable LED strip headers, 1 x noise detection header, 1 x front panel audio header, 4 x SATA 6Gb/s, 2 x Thunderbolt add-in card connectors, 2 x RGB LED strip headers, 1 x 4-pin CPU Fan header, 1 x reset jumper, 5x M.2 Socket 3, 1 x Power button, Voltage Measurement Points, 4x system fan/water cooling pump headers
-------------------	---

Napomena	Za iskorišćavanje određenih internih konektora potrebni su dodatni bracket-i ili priključci na kućištu
----------	--

Naponski priključci	1x 24-pin ATX main power connector, 1x ATX 8pin (EPS 12V)
---------------------	---

USB-A	2 x podrška za 1 USB 2.0 port, 2 x podrška za 1 USB 5Gbps port
-------	--

USB-C	1 x podrška za 2 USB 20Gbps porta
-------	-----------------------------------

Audio

Broj kanala	6 (5.1)
-------------	---------

Model	Realtek ALC1220-VB Codec
-------	--------------------------

Napomena	High Definition, Podrška za S/PDIF izlaz, DTS X Ultra, ESS ES9118 DAC
----------	---

Osnovne karakteristike

Čipset	Intel Z790
--------	------------

Procesorsko ležište (socket)	Intel 1700
------------------------------	------------

Slotovi

PCI Express x16 slot	1x PCI Express 3.0 (x4 mode), 1x PCI Express 5.0 (x16 mode), 1x PCI Express 3.0 (x1 mode)
----------------------	---

Multi-card podrška	AMD CrossFire
--------------------	---------------

Skladišni interfejs

SATA priključci	SATA III 6Gbps
-----------------	----------------

RAID	RAID 0, RAID 1, RAID 5, RAID 10
------	---------------------------------

SATA priključci (ukupno)	6
--------------------------	---

Broj M.2 slotova	5
------------------	---

Reklamacioni period

Reklamacioni period	36 meseci
---------------------	-----------

Zemlja porekla

Zemlja porekla	Kina
----------------	------